EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	696	high adj level adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:33
S2	2925	IEEE1394	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:33
S3	3978	IEEE$1"1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:33
S4	15	S1 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:36
S5	30	core adj csr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:36
S6	27	S5 with register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:37
S7	24	S5 near3 register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 16:37
S8	9	S7 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 18:02
S15	4018	IEEE$1"1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:37

EAST Search History

S16	181	S15 with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:38
S17	3	S15 with user near3 notif$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:38
S18	3	S15 with (user near3 notif$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:40
S19	8	S15 same (user near3 notif$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 10:03
S20	5	S19 not S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 09:40
S21	244	S15 and (user near3 notif$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 10:15
S22	1	S15 same (event near3 notif$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 10:26
S23	80	S15 and (event near3 notif$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 13:48
S24	11	S15 and (user near3 notif$8).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 10:16
S25	3	S15 and (event near3 notif$8).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 10:24

S26	10	S15 same (event near3 generat$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 10:27
S27	17	S15 and (event near3 generat$8).ti, ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 10:54
S28	136	S15 and (event near3 generat$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 11:14
S29	2	"6233611".pn. and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:48
S30	0	"6233611".pn. and csr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:48
S31	0	"6233611".pn. and sbr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:48
S33	1	"6233611".pn. and registers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/03 17:49
S34	4032	IEEE$1"1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:43
S35	754	IEEE$1"1394" and power adj supply	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:06
S36	98	S34 same (power adj supply)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:45

S37	21	S34 same (light with control$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:45
S38	51	S34 with (power adj supply)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:45
S39	1	S34 same (beep$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:45
S40	1	S34 with (beep$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:46
S41	79	S34 and (beep$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/04 10:46
S42	27	S34 and (beep$6)	USPAT	OR	ON	2005/03/04 10:46
S43	2	"20010028656".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:07
S44	0	"6233611".pn. and (serial adj bus adj registers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:15
S46	5370	event near3 recept$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:14
S47	1	S46 and (serial adj bus adj registers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:15

EAST Search History

S48	2	S46 and serial adj bus near3 register$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:29
S49	4910	IEEE$1"1394"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:16
S50	193	S49 and (event near3 generat$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:16
S51	11	S49 same (event near3 generat$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:16
S52	138	S46 and address$4 near5 space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:30
S53	455	event with address$4 near5 space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 13:43
S54	1	S53 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:33
S55	1	serial adj bus with S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:34
S56	284	serial adj bus with event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 16:34
S57	369	event$ with serial near3 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 13:44

S58	430	event$ with address adj space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 13:44
S59	31	S57 with register$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 13:45
S60	31	S57 with register$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 13:52
S61	2	"6233611".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 13:51
S62	1	S61 and register$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 14:12
S63	1	S61 and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 14:12
S64	1	S61 and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/25 14:12
S65	1	"20010028656".pn. and reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 20:00
S66	445	"1394" with bus near3 reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 19:57
S67	373	(IEEE1394 or IEEE near "1394") with bus near3 reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 19:58

S68		21	(IEEE1394 or IEEE near "1394") with bus near3 reset with bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 19:58
S69		21	(IEEE1394 or IEEE near "1394") with bus near3 reset with (bridge or busbridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 08:55
S70		0	"20010028656".pn. and reset with status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:57
S71		1	"20010028656".pn. and reset with stat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 20:04
S72		1	"20010028656".pn. and reset same stat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 20:04
S73		1	"20010028656".pn. and address$5 same stat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:26
S74		35	(IEEE1394 or IEEE near "1394") with bus near3 reset with address$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 11:56
S75		1	"20010028656".pn. and status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 11:31
S76		1	"6233611" .pn. and bus near3 reset$5 and address$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 11:31
S77		1	"6233611" .pn. and bus near3 reset$5 same address$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 11:34

S78	1	"6233611" .pn. and bus near3 reset$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 12:04
S79	1	"20010028656".pn. and bus near3 reset$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 11:35
S80	45	(IEEE1394 or IEEE near "1394") and indicat$5 with bus near3 reset with stat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:14
S81	0	"6233611" .pn. and bus near3 reset with stat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 12:04
S82	557	(IEEE1394 or IEEE near "1394") and bus near3 reset$6 with node$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:15
S83	368	(IEEE1394 or IEEE near "1394"). clm,ti,ab. and bus near3 reset$6 with node$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 15:16
S84	4802	(IEEE1394 or IEEE near "1394"). clm,ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 08:52
S85	112	S84 and bus near3 reset$6 with node$5 with layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:30
S86	20	S84 and bus near3 reset$6 with node$5 with protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:30
S87	140	S84 and bus near3 reset$6 with node$5 with detect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:31

S88	47	S84 and bus near3 reset$6 with node$5 same bridg$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:31
S89	2352	S84 and @ad<="20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:07
S90	58	S89 and bus near3 reset$6 with node$5 with layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:30
S91	8	S89 and bus near3 reset$6 with node$5 with protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:30
S92	74	S89 and bus near3 reset$6 with node$5 with detect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/25 16:31
S93	26	S89 and bus near3 reset$6 with node$5 same bridg$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:22
S94	0	(communication near3 control near3 bus) same (bus near3 reset$6 with node$5) same bridg$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:23
S95	6	(communication near3 control near3 bus) same (bus near3 reset$6 with node$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:24
S96	36	(communication near3 control near3 bus) same (bus near3 reset$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 08:49
S97	1	"20010028656".pn. and (communication near3 control near3 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:26

S98	1	"20010028656".pn. and (communication near3 control near3 bus) and (bus near3 reset$6 with node$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:28
S99	1	"20010028656".pn. and (communication near3 control near3 bus) and (bus near3 reset$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:38
S100	0	"20010028656".pn. and re$1establish$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/10/26 14:40
S101	0	"20010028656".pn. and reestablish$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:39
S102	0	"20010028656".pn. and re adj establish$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:39
S103	1	"20010028656".pn. and high with protocol with layer with connect$6 with node with (bus near3 reset$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 08:52
S104	1	"20010028656".pn. and generat$5 with high with protocol with (bus near3 reset$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:43
S105	11733	710/8,9,15-19,36,300-306,311.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 08:52
S106	829	S105.and (IEEE1394 or IEEE near "1394")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 08:52
S107	0	S105 and high with protocol with layer with connect$6 with node with (bus near3 reset$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 08:53

EAST Search History

S10 8	96	S105 and connect$6 with node with (bus near3 reset$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 08:53
S10 9	0	S105 and high with protocol with layer with connect$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 08:52
S11 0	236	S106 and (bus near3 reset$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 08:53
S11 1	126	S106 and node with (bus near3 reset$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 08:53